

# Invacare® Solara® 3G – Adult Tilt-in-Space Wheelchair



Yes, you can.®

## Price List and Order Form

Effective July 13, 2009 rev October 26, 2009

For ease of ordering, contact customer Service Toll Free at:

800-333-6900 Fax: 800-678-4682

To order Literature: 800-828-6282

www.invacare.com

Company Name \_\_\_\_\_ Account # \_\_\_\_\_

Phone \_\_\_\_\_ P.O. # \_\_\_\_\_ Date \_\_\_\_\_

Ship to Name & Address \_\_\_\_\_

### Special Note

HCPSC codes are not intended to be, nor should be considered billing or legal advice. Providers are responsible for determining the appropriate billing codes when submitting claims to the Medicare Program and should consult an attorney or other advisor to discuss specific situations in further detail.

## FRAME CHOICE



### FRAME TYPE <sup>1</sup>

- SOLARA3G Solara 3G Tilt-in-Space wheelchair (E1161) .... 2,952.00

### NEW CUSTOM PACKAGES <sup>2</sup>

- HDPG Heavy Duty Package (400 lb Weight Capacity)(K0108)100.00

## TRANSPORT/VENT TRAY SELECTION

### NEW TRANSPORT TIE DOWN <sup>3</sup>

- TRRO Transport Ready Option (K0108)..... 250.00 <sup>4</sup>
- TRBKTS Transport Brackets (K0108) ..... 250.00 <sup>5</sup>

### \*TRANSPORT TIE-DOWN

TRRO includes four factory-installed transport brackets and a wheelchair anchored pelvic belt. TRRO has been crash-tested in accordance with ANSI/RESNA WC Vol 1. Section 19 Frontal Impact Test requirements for wheelchairs with a 168 lb crash dummy, which corresponds to a person with a weight of 114 lbs to 209 lbs.

TRBKTS includes four factory installed wheelchair transport brackets. TRBKTS has not been crash-tested in accordance with WC19. Use these transport brackets only to secure an unoccupied wheelchair during transport.

As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.

\* Transport Tie Down option is not retrofittable to existing models and is not field serviceable.

## VENT TRAY OPTION

- AVENT Ventilator Tray (each) (E1029)..... 295.00 <sup>6,7</sup>
- ATBOX Ventilator Battery Box (each)..... 97.00
- BACKVENT Laptop Vent Tray (E1029)..... 1540.00 <sup>6,8,9</sup>

## FOOTNOTES

<sup>1</sup> A seating system must be purchased for use with this wheelchair. No seating system is provided.

<sup>2</sup> Reinforced axles and crossbraces; Weight limit of 400 lbs

<sup>3</sup> Transport Tie-Down options not retrofittable to existing models, not field serviceable.

<sup>4</sup> Not available with W23, W24, HDPG, AVENT, BACKVENT, RECLINER, RECLINEWU, P750, 2218, OFFMNT, BILAT, 110CP

<sup>5</sup> Not available with AVENT, BACKVENT, P750, 2218

<sup>6</sup> Not available with HDPG

<sup>7</sup> Available with 16" wide frame and above and 18" seat-to-floor height and above

<sup>8</sup> Available with 15" wide frame and above

<sup>9</sup> Not available with RECLINER or P750

## FRAME SELECTIONS

### TILT OPTIONS

- FRLT Cable-Free Foot Release - Left Mount.....No Charge
- FRRT Cable-Free Foot Release - Right Mount.....No Charge
- THR Traditional Hand Release..... **Standard**
- TLL Tilt Lock Levers.....No Charge
- TLC Tilt Lock Stops (pair)..... 30.00 <sup>10</sup>

### SEAT WIDTH RANGE

- SWR1216 12" – 16" Seat Width Range.....No Charge <sup>6</sup>
- SWR1418 14" – 18" Seat Width Range.....No Charge
- SWR1620 16" – 20" Seat Width Range.....No Charge
- SWR1822 18" – 22" Seat Width Range.....No Charge
- SWR2024 20" – 24" Seat Width Range.....No Charge

### SEAT WIDTH

- W12 12" Wide .....No Charge
- W13 13" Wide .....No Charge
- W14 14" Wide .....No Charge
- W15 15" Wide .....No Charge
- W16 16" Wide .....No Charge
- W17 17" Wide .....No Charge
- W18 18" Wide .....No Charge
- W19 19" Wide .....No Charge
- W20 20" Wide (E2201)..... 300.00
- W21 21" Wide (E2201)..... 300.00
- W22 22" Wide (E2201)..... 300.00
- W23 23" Wide (E2201)..... 300.00
- W24 24" Wide (E2202)..... 300.00

### SEAT DEPTH RANGE

- SDR1216 12" – 16" Seat Depth Range.....No Charge
- SDR1519 15" – 19" Seat Depth Range.....No Charge
- SDR1822 18" – 22" Seat Depth Range.....No Charge

### SEAT DEPTH

- D12 12" Seat Depth .....No Charge
- D13 13" Seat Depth .....No Charge
- D14 14" Seat Depth .....No Charge
- D15 15" Seat Depth .....No Charge
- D16 16" Seat Depth .....No Charge
- D17 17" Seat Depth .....No Charge
- D18 18" Seat Depth .....No Charge
- D19 19" Seat Depth .....No Charge
- D20 20" Seat Depth (E2203)..... 300.00
- D21 21" Seat Depth (E2203)..... 300.00
- D22 22" Seat Depth (E2204)..... 300.00

## FOOTNOTES

<sup>10</sup> Additional pair of tilt lock stops, one pair comes standard with chair

NOTE: All specifications and dimensions are approximate.

For the most current pricing information go to www.invacare.com

# Invacare® Solara® 3G Adult Tilt-in-Space Wheelchair

## Accessories and Options

### FRAME FINISH COLORS

#### CONTEMPORARY

- 24P Wet Black.....No Charge
- 60P Silver Metallic.....No Charge
- 71P Silver Vein .....No Charge
- 105P Midnight Blue.....No Charge
- 115P Black Prism.....No Charge

#### TOO HOT

- 30P Sunny Yellow.....No Charge
- 61P Electric Red.....No Charge
- 119P Bubblegum Pink.....No Charge
- 120P Grape Madness.....No Charge

#### WAY COOL

- 62P Electric Blue.....No Charge
- 104P Electric Teal .....No Charge
- 121P Lolly Pop Blue .....No Charge
- 122P Cosmic Blue .....No Charge
- 125P Emerald Green .....No Charge
- 127P Grasshopper Green .....No Charge
- \_\_\_\_\_ Touch Up Paint. ....20.00 <sup>11</sup>

### WHEELS, CASTERS, TIRES

#### SEAT-TO-FLOOR HEIGHT (SEE SEAT-TO-FLOOR HEIGHT CHART)

- STF125 **NEW** Seat-To-Floor 12.5" (10.5" w DPSEAT)..No Charge
- STF13 **NEW** Seat-To-Floor 13" (11" w DPSEAT).....No Charge
- STF135 **NEW** Seat-To-Floor 13.5" (11.5" w DPSEAT)..No Charge
- STF14 **NEW** Seat-To-Floor 14" (12" w DPSEAT).....No Charge
- STF145 Seat-To-Floor 14.5" (12.5" w DPSEAT).....No Charge
- STF15 Seat-To-Floor 15" (13" w DPSEAT).....No Charge
- STF155 Seat-To-Floor 15.5" (13.5" w DPSEAT).....No Charge
- STF16 Seat-To-Floor 16" (14" w DPSEAT).....No Charge
- STF165 Seat-To-Floor 16.5" (14.5" w DPSEAT).....No Charge
- STF17 Seat-To-Floor 17" (15" w DPSEAT).....No Charge
- STF175 Seat-To-Floor 17.5" (15.5" w DPSEAT).....No Charge
- STF18 Seat-To-Floor 18" (16" w DPSEAT).....No Charge
- STF185 Seat-To-Floor 18.5" (16.5" w DPSEAT).....No Charge
- STF19 Seat-To-Floor 19" (17" w DPSEAT).....No Charge

#### CASTER OPTIONS (PAIR)

- 4SPLT 4" x 1" Composite Urethane Light Up. ....No Charge <sup>6</sup>
- 4ALUM2 **NEW** 4" x 1.4" Aluminum Soft Roll..... 90.00 <sup>6</sup>
- 5SPLT **NEW** 5" x 1" Composite Urethane Light Up.....No Charge <sup>6</sup>
- 5SOFT 5" x 1" Semi-Pneumatic Casters.....No Charge <sup>6</sup>
- 5ALUM 5" x 1" Aluminum Urethane Casters. ....92.00 <sup>6</sup>
- 5ALUM2 **NEW** 5" x 1.4" Aluminum Soft Roll..... 90.00 <sup>6</sup>
- AT902 6" x 1" Composite Urethane 3-Spoke Casters.No Charge <sup>6</sup>
- 1259 6" x 2" Semi-Pneumatic Casters. ....60.00 <sup>6</sup>
- 6ALUM2 **NEW** 6" x 1.4" Aluminum Soft Roll..... 90.00 <sup>6</sup>
- 1228 8" x 1.75" Semi-Pneumatic Casters Lt Grey. .... 60.00 <sup>6</sup>
- AT903 8" x 1.25" Composite Urethane Casters. ....No Charge <sup>6</sup>

#### WHEEL OPTIONS (PAIR)

- 12COM 12" Composite Wheels. ....No Charge <sup>12</sup>
- 16COM 16" Composite Wheels. ....No Charge <sup>12,13</sup>
- 18COM 18" Composite Wheels. ....No Charge <sup>12,13</sup>
- 20COM 20" Composite Wheels. ....No Charge
- 22COM 22" Composite Wheels. ....No Charge
- 24COM7 24" Composite Wheels. ....No Charge

#### FOOTNOTES

- <sup>11</sup> Touch-up paint not available in all colors
- <sup>12</sup> Not available with urethane tires
- <sup>13</sup> Only available with aluminum handrims

#### AXLE TYPE (PAIR)

- A1577 Quick Release Axles.....No Charge
- PAXLE Permanent Axles.....**Standard**

Front & Rear Seat-to-Floor Heights					
Measured from Floor to Top of Seat Rail					
All Dimensions are Approximate					
Rear Wheel	4" 4SPLT 4ALUM2	5" 5ALUM 5ALUM2 5SOFT 5SPLT	6" AT902 6ALUM2	6" 1259	8" 1228 AT903
12"	12.50" 13.00" 13.50" 15.50" 16.00"	13.50" 15.50" 16.00" 16.50"	15.50" 16.00" 16.50" 17.00"	15.50" 16.00" 16.50" 17.00" 17.50" 18.00"	16.50" 17.00" 17.50" 18.00"
16"	12.50" 13.00" 13.50" 14.00" 14.50" 15.00"	13.50" 14.00" 14.50" 15.00"	14.50" 15.00" 17.00"	14.50" 15.00" 17.00" 17.50" 18.00"	17.00" 17.50" 18.00" 18.50" 19.00"
18"	13.50" 14.00" 14.50" 15.00" 15.50" 16.00"	13.50" 14.00" 14.50" 15.00" 15.50" 16.00"	14.50" 15.00" 15.50" 16.00"	14.50" 15.00" 15.50" 16.00" 18.00"	18.00" 18.50" 19.00"
20"	15.00" 15.50" 16.00"	15.00" 15.50" 16.00" 16.50"	15.00" 15.50" 16.00" 16.50" 17.00"	15.00" 15.50" 16.00" 16.50" 17.00" 17.50"	16.50" 17.00" 17.50"
22"	16.00"	16.00" 16.50"	16.00" 16.50" 17.00"	16.00" 16.50" 17.00" 17.50" 18.00"	16.50" 17.00" 17.50" 18.00" 18.50"
24"	N/A	16.50"	16.50" 17.00"	16.50" 17.00" 17.50" 18.00"	16.50" 17.00" 17.50" 18.00" 18.50" 19.00"

#### TIRE OPTIONS (PAIR)

- PNEU Pneumatic Tires. .... 60.00 <sup>6</sup>
- PNEUFF Flat Free Insert (E2213)..... 65.00
- URETH Urethane (Treaded) Tires.....No Charge

#### HANDRIM OPTIONS (PAIR)

- AHDRM Aluminum Handrims. ....No Charge
- CHDRM Chrome Plated Handrims.....No Charge
- 1512 Plastic Coated Aluminum Handrims..... 72.00 <sup>14</sup>
- AT-1225-8 Plastic Coated w/8 Vertical Projections. .... 240.00 <sup>14</sup>
- AT-1224-8 Plastic Coated w/8 Oblique Projections. .... 240.00 <sup>14</sup>
- AT1225-12 Plastic Coated w/12 Vertical Projections. .... 240.00 <sup>14</sup>
- L8702 Omit Handrims. ....Less 15.00

#### FOOTNOTES

- <sup>14</sup> Only available with 24COM7

# Invacare® Solara® 3G Adult Tilt-in-Space Wheelchair

## Accessories and Options

### WHEEL LOCKS

- FOOTBRK  Foot Operated Push to Lock Wheel Lock..... 50.00 <sup>15</sup>
- PULLLOCK Pull to Lock Wheel Locks (pair). ....No Charge
- PUSHLOCK Push to Lock Wheel Locks (pair). ....No Charge
- EXTLOCK Push to Lock w/6 Bolt-On Ext (pr) (E0961). .... 65.00
- FOOTHUB Foot Operated Hublock.....200.00 <sup>16</sup>
- ATHUB Cane Mount Hub Lock. ....50.00 <sup>16,17</sup>
- USEHUB Seat Rail Mount Hub Lock.....50.00 <sup>16,18</sup>

### POSITIONING

#### SEAT STYLE <sup>19</sup>

- FLSEAT Flush Seat Pan(same hardware as DPSEAT)(E2231)...95.00
- DPSEAT Drop Seat Pan(same hardware as FLSEAT)(E2231)...95.00

Arm Heights		
Measured from Top of Seat Rail to Top of Armpad		
Arm Type	Low	High
<b>TAD TAF</b>	6.5" - 12.5" .5" increments	9" - 17" 1" increments
<b>FXDESK FXFULL</b>	9.5"	12"
<b>ADJDESK ADJFULL</b>	9.5" - 13.5" 1" increments	12" - 16" 1" increments
<b>FADJDESK FADJFULL</b>	9" - 13" 1" increments	12" - 16" 1" increments

#### ARM HEIGHT (SEE ARM HEIGHT CHART)

- SARMHT Low Arm Height Range.....No Charge
- HARMHT High Arm Height Range.....No Charge

#### CANTILEVER ARMS

- AT99N Cantilever Non Locking Bolt On Arms.....No Charge <sup>21</sup>
- AT55D Cantilever Locking Desk Lgth.Bolt On Arms..... 195.00 <sup>21</sup>
- AT55F Cantilever Locking Full Lgth.Bolt On Arms ..... 195.00 <sup>21</sup>

#### T-ARMS (PAIR)

- TAD Adjustable Height, Desk Length (E0973). .... 225.00
- TAF Adjustable Height, Full Length (E0973). .... 225.00

#### TWO-POINT, FIXED HEIGHT ARMS (PAIR) <sup>20</sup>

- FXDESK Conventional, Desk Length .....No Charge
- FXFULL Conventional, Full Length .....No Charge

#### TWO-POINT, ADJUSTABLE HEIGHT ARMS (PAIR) <sup>20</sup>

- ADJDESK Conventional, Desk Length (E0973)..... 195.00
- ADJFULL Conventional, Full Length (E0973)..... 195.00
- FADJDESK Flip-Back, Desk Length (E0973).....245.00 <sup>21</sup>
- FADJFULL Flip-Back, Full Length (E0973) ..... 245.00 <sup>21</sup>

### FOOTNOTES

- <sup>15</sup> Not available with AVENT
- <sup>16</sup> Not available with I6COM
- <sup>17</sup> Not available with RECLINER
- <sup>18</sup> Only available with TAD or TAF
- <sup>19</sup> FLSEAT or DPSEAT are solid seat pans and do not come with the chair, must be selected if needed.
- <sup>20</sup> Available on 15" seat depth and above
- <sup>21</sup> Not available with RECLINER or RECLINEWU

### BACK TYPE

- SCANE Standard Aluminum Back Cane ..... **Standard**
- RCANE  Steel-Reinforced Back Cane. ....No Charge <sup>6,22,23</sup>
- RECLINER Reclining Back with Upholstery (E1226).....810.00 <sup>6,24</sup>
- RECLINEWU Reclining Back w/out Upholstery (E1226) ..... 790.00
- RECEXT Reclining Headrest Pillow and Extension (E0966).75.00
- RLL Recliner Lockout Levers. ....No Charge <sup>25</sup>

Back Cane Heights		
Measured from Top of Seat Rail		
Back Cane Type	Inches To 10° Bend	Total Height
BH20	Straight Cane	20.5"
BH24B	15.5	24.5"
BH24	Straight Cane	24.5"
ABH1720	16.2 – 21.2	29.3" – 34.3"
RECLINER	Straight Cane	26"
RECLINER + Headrest	Straight Cane	36"

#### BACK HEIGHT (SEE BACK CANE HEIGHT CHART)

- BH20 Strt Cane w/ Psh Hndle Back Height 20" .....No Charge <sup>26</sup>
- BH24B  Back Height 24" w/ bend .....No Charge
- BH24 Back Height 24" .....No Charge
- ABH1720 Adjustable Height Back Canes (17" – 20").....No Charge <sup>26,27</sup>

#### BACK CANE OPTIONS

- FXBACK Non-Fold Down Back Canes ..... **Standard**
- FLDBACK Fold-Down Back Canes .....No Charge <sup>17</sup>

#### POSITIONING STRAPS (EACH)

- 1515 Push Button Buckle Seat Positioning Strap(E0978).50.00
- 1321BK Hook & Loop Seat Positioning Strap (E0978)..... 50.00
- 1311BK Airline Buckle Seat Positioning Strap (E0978)..... 50.00
- 9515 Push Button Chest Positioning Strap (E0960). .... 100.00 <sup>21</sup>
- 7321BK Hook & Loop Chest Positioning Strap (E0960)... 100.00 <sup>21</sup>
- 7311BK Airline Buckle Chest Positioning Strap (E0960). 100.00 <sup>21</sup>

#### BODYPOINT® PADDED CALF STRAPS <sup>28,29</sup>

- BPCALFS Padded Calf Straps (13"-15") (K0038)..... 52.00
- BPCALFM Padded Calf Straps (15"-18") (K0038). .... 56.00
- BPCALFL Padded Calf Straps (18"-22") (K0038). .... 64.00

#### BODYPOINT® ANKLE HUGGERS® <sup>28,30</sup>

- BPAHGS Side-Release Ankle Huggers (6.5"-8") (K0108).. 156.00
- BPAHGM Side-Release Ankle Huggers (7.5"-9") (K0108).. 160.00
- BPAHGL Side-Release Ankle Huggers (8.5"-11.5")(K0108).160.00
- BPAHGXL Side-Release Ankle Huggers (11"-13"). (K0108) 164.00

### FOOTNOTES

- <sup>22</sup> Comes with back upholstery and AASH. Must choose RECEXT when selecting RECLINER.
- <sup>23</sup> Available on 14" - 20" seat width
- <sup>24</sup> Not available with a headrest and pillow. Comes standard with AASH.
- <sup>25</sup> Not available with SCANE or RCANE
- <sup>26</sup> Not available with P750
- <sup>27</sup> Must choose the **AASH** when ordering the **ABH1720**. The ABH1720 is not available with the 1483 Non-Adjustable Rigidizing Handle Bar. Also not available with RCANE because it already consists of heavy duty construction.
- <sup>28</sup> See [www.bodypoint.com](http://www.bodypoint.com) for complete details. Products are not installed on chair.
- <sup>29</sup> Measure chair width to determine size
- <sup>30</sup> Measure circumference above ankle to determine size

# Invacare® Solara® 3G Adult Tilt-in-Space Wheelchair

## Accessories and Options

### **NEW** BODYPOINT® STAYFLEX™ 28,31

- BPSFM Anterior Trunk Support w/Zip (13"-16") (E0960).174.00
- BPSFL Anterior Trunk Support w/Zip (16"-19") (E0960).178.00
- BPSFNM Anterior Trunk Support Narrow w/Zip (13"-16") (E0960).....174.00
- BPSFNL Anterior Trunk Support Narrow w/Zip (16"-19") (E0960).....178.00

### MISCELLANEOUS

#### BACK ACCESSORIES 17

- ADJRGD Adjustable Width Back Rigidizing Bar.....85.00
- 1483 Non-Adjustable Stroller Handles.....85.00
- AASH Adj. Angle Stroller Handles (Outside Mnt) ..No Charge
- AASHIN Adj. Angle Stroller Handles (Inside Mnt) .....No Charge


#### MISCELLANEOUS ACCESSORIES

- 1209 Tire Pump.....35.00
- P750 Oxygen Holder (E2208).....128.00 6,21,32
- 2218 **NEW** IV Pole (K0105).....150.00 21
- A1580 Rear Anti-Tippers.....No Charge
- BP02 Multi Pocket Backpack.....65.00

### FRONT RIGGING OPTIONS

#### **NEW** FRONT RIGGING MOUNTING

- STD MNT STD Front Rigging Mount.....**Standard**
- OFF MNT Offset Front Rigging Mount.....No Charge 33



#### FRONT RIGGINGS (PAIR)

- 70LIFTNT 70° Lift Off Non-Taper Footrests.....95.00
- 70LIFTMFX 70° Lift Off MFX Footrests.....95.00 34
- 90LIFTMFX 90° Lift Off MFX Footrests.....95.00 34
- SWING1319 60° Swingaway Footrests.....No Charge
- SWING914 60° Swingaway Footrests MFX.....No Charge
- 70NTAPER 70° Swingaway Footrests.....No Charge
- 70MFX 70° Swingaway Footrests MFX.....No Charge 34
- 70STAPER 70° Tapered Footrests.....No Charge 35
- 90SWING 90° Swingaway Footrests (pair).....No Charge 34
- AT5044LIFT **NEW** Lift Off Elevating Legrests (pair) (E0990).....255.00
- AT5044 Elevating Legrests (pair) (E0990).....255.00
- BILAT **NEW** Bi-Lateral Contracture Footrests (pair).....120.00 6
- ATL4A Center Pivot Articulating Legrests (pair) (K0053).320.00
- 110CP **NEW** Contracture Platform.....280.00 6,36

#### FOOTNOTES

- <sup>31</sup> Measure shoulder width to determine size. BPSFM and BPSFL are approx 2" wider in center than BPSFNM and BPSFNL
- <sup>32</sup> Not available with BH20 or ABH1720
- <sup>33</sup> Not available with 12"-16" seat depth range
- <sup>34</sup> Must select AT5543
- <sup>35</sup> Available on seat widths 16" and above
- <sup>36</sup> Available on 16"- 22" seat widths

#### FOOTPLATE TYPE (PAIR)

- 1651 Flip-up Composite Footplates .....No Charge 37
- A1562 Aluminum Footplates.....59.00 37
- A1564 Extra Large Aluminum Footplates (K0041).....59.00 37
- AT5543 Adjustable Angle Flip-Up Footplates (K0040)....165.00

#### ADJUSTABLE ANGLE FOOTPLATE RIGHT (EACH)<sup>38</sup>

##### (BI-LATERAL CONTRACTURE FOOTREST ONLY)

- AAF325R Adj Angle Footplate Right 3.25"W (K0040).....83.00
- AAF425R Adj Angle Footplate Right 4.25"W (K0040).....83.00
- AAF525R Adj Angle Footplate Right 5.25"W (K0040).....83.00
- AAF625R Adj Angle Footplate Right 6.25"W (K0040).....83.00
- AAF725R Adj Angle Footplate Right 7.25"W (K0040).....83.00

#### ADJUSTABLE ANGLE FOOTPLATE LEFT (EACH)<sup>38</sup>

##### (BI-LATERAL CONTRACTURE FOOTREST ONLY)

- AAF325L Adj Angle Footplate Left 3.25"W (K0040).....83.00
- AAF425L Adj Angle Footplate Left 4.25"W (K0040).....83.00
- AAF525L Adj Angle Footplate Left 5.25"W (K0040).....83.00
- AAF625L Adj Angle Footplate Left 6.25"W (K0040).....83.00
- AAF725L Adj Angle Footplate Left 7.25"W (K0040).....83.00

Knee-To-Heel Range		
Measured from front edge of seat pan to back of footplate		
Front Rigging Type	Minimum	Maximum
Range Adjusts in 0.5" Increments		
*60°	13.50	17.50
*60° MFX	10.00	13.50
*70°	13.50	18.50
*70° Tapered	13.25	17.00
Bilateral Contracture STF13-STF16	5.50	9.00
Bilateral Contracture STF165-STF19	5.50	13.00
Range Adjusts in 1" Increments		
70° MFX	6.50	12.50
90°	4.50	7.50
Infinite Range Adjustments		
*Elevating	14.00	20.00
Articulating	16.00	24.00
Contracture Platform STF125-STF135	7.25	8.25
Contracture Platform STF14-STF19	11.50	16.00
* ALPT shifts range by 2"		

#### FOOTREST/LEGREST ACCESSORIES

- A1337 Calf Strap (K0038) .....24.00
- 9342 "H" Strap (K0039).....56.00
- FRMPRB **NEW** ChairArmor Blue Neoprene Frame Protectors. 65.00 39
- FRMPRS **NEW** ChairArmor Silver Neoprene Frame Protectors.65.00 39
- FRMPRR **NEW** ChairArmor Red Neoprene Frame Protectors. . 65.00 39
- FRMPRBK **NEW** ChairArmor Black Neoprene Frame Protectors.65.00 39
- ALPT Longer Pivot and Slide Tubes.....84.00
- ALPT3 3" Extension for 90 Footrests.....31.00

#### FOOTNOTES

- <sup>37</sup> Not available with Bodypoint Ankle Huggers
- <sup>38</sup> Must select with BILAT
- <sup>39</sup> Only available with 70LIFTNT, SWING1319, 70NTAPER, 70STAPER

# Invacare<sup>®</sup> Solara<sup>™</sup> 3G Adult Tilt-in-Space Wheelchair

## Accessories and Options

### HEEL LOOP/TOE LOOP (PAIR)

- 1345      Toe Loops (E0952)..... 39.00
- A1600BK      Heel Loops with Ankle Straps (E0951)..... 51.00
- HLOOP      Heel Loops without Ankle Straps (E0951)..... 51.00

### SEATING

#### SEAT CUSHION SELECTION

- EC      Absolute Cushion (E2601) ..... 104.00
- ITSOM      InTouch<sup>™</sup> Stabilite<sup>™</sup> OM (E2605/E2606)..... 320.00
- ITSG      InTouch Stabilite Gentle Contour (E2607)..... 340.00
- ITSM      InTouch Stabilite Max Contour (E2605) ..... 340.00
- ITFG      InTouch Flovair<sup>™</sup> Gentle Contour (E2607)..... 360.00
- ITFM      InTouch Flovair Max Contour (E2607) ..... 360.00

#### SEATING BACK SELECTION

- PBR      Personal Back 10<sup>™</sup> Reg Height (E2615) ..... 565.00
- PBT      Personal Back 10 Tall Height (E2615) ..... 565.00
- PPR      Personal Back 10 Plus Reg Height (E2615) ..... 645.00
- PPT      Personal Back 10 Plus Tall Height (E2615) ..... 645.00

#### **NEW** HEADRESTS

- HR02S      Large Headrest (E0955) ..... 284.00
- CP175      Stealth Headrest 14" Multi Axis (E0955)..... 225.00
- CP175HW      Removable & Adjustable Hardware (E1028)..... 225.00
- CP275      Stealth Headrest 10" Multi Axis (E0955)..... 225.00
- CP275HW      Removable & Adjustable Hardware (E1028)..... 225.00
- CP180      Stealth Headrest 14" TWB (E0955)..... 225.00
- CP180HW      Removable & Adjustable Hardware (E1028)..... 225.00
- CP280      Stealth Headrest 10" TWB (E0955)..... 225.00
- CP280HW      Removable & Adjustable Hardware (E1028)..... 225.00

FOR ADDITIONAL SEATING NEEDS PLEASE REFER TO:  
 INVACARE REHAB SEATING AND POSITIONING PRODUCTS  
 PRICE LIST FORM 07-027

Basic Chair Includes	
<ul style="list-style-type: none"> <li>Solara Tilt-in-Space Frame</li> <li>Tilt Option (FRLT, FRRT, THR)</li> </ul>	<ul style="list-style-type: none"> <li>Seat-to-Floor Height Selection</li> <li>Casters (4SPLT, 5SPLT, 5SOFT, AT902, AT903)</li> </ul>
<ul style="list-style-type: none"> <li>Two-Point Conventional Fixed Arms (FXDESK or FXFULL)</li> </ul>	<ul style="list-style-type: none"> <li>Wheels</li> </ul>
<ul style="list-style-type: none"> <li>Aluminum or Steel Reinforced Back Canes</li> </ul>	<ul style="list-style-type: none"> <li>Axles (A1577, PAXLE)</li> </ul>
<ul style="list-style-type: none"> <li>Back Height Selection</li> <li>Fold Down Back</li> </ul>	<ul style="list-style-type: none"> <li>Urethane Treaded Tires</li> <li>Handrims (AHDRM, CHDRM)</li> </ul>
<ul style="list-style-type: none"> <li>Wheel Locks (PULLLOCK, PUSHLOCK)</li> </ul>	<ul style="list-style-type: none"> <li>Frame Finish</li> </ul>
<ul style="list-style-type: none"> <li>Rear Anti-Tippers</li> </ul>	<ul style="list-style-type: none"> <li>Flip-up Composite Footplates</li> </ul>
<ul style="list-style-type: none"> <li>Center-of-Gravity Factory Setting: Based on seat depth and seat depth range. See page 6 for details.</li> </ul>	<ul style="list-style-type: none"> <li>Front Riggings (SWING1319, SWING914, 70NTAPER, 70MFX, 70STAPER, 90SWING)</li> </ul>

Available Through Our Specials Department	
20" High Reclining Back	SM-050106113843
25" - 26" Wide	SM-010312110036
18" Back Canes	SM-991020115649
Front Rigging Mount: Standard on one side and Offset on the opposite side	C-090731110749
Adjustable Clamp-on Sector Blocks	SM-031007103339 (pair)
80° Footrest Hanger	SM-200411121756

Specifications	
Frame Style	Tilt-in-Space
Overall Width	Seat width + 8.25" (12" wheels) Seat width + 9.25" (18-24" wheels)
Seat Width	12" - 24"
Seat Depth	12" - 22"
Back Height	17" - 20", 20", 24"
Adjustable Angle Back	0°, 5°, 10°, 15°, 20°, 25°, 30°
Tilt Range	-5 to 50°
Recliner Back	175°
Weight Limit	250 lbs/400 lbs w/heavy duty package
Weight of Chair	34.50 lbs*
Limited Warranty	Lifetime on frame and crossbraces
*Base chair without Accessories	



# Invacare® Solara™ 3G Adult Tilt-in-Space Wheelchair Accessories and Options


## True Center Mass Management Explained

**NEW** Invacare's True Center Mass Management adjustment is a simple and intuitive way to significantly improve the tilting experience of the individual seated in the chair which directly correlates to the ease of tilt experienced by the Caregiver.

## Center-of-Gravity Factory Setting

	Seat Depth Range 15" - 19"	Seat Depth Range 18" - 22"
D15	Front Setting	
D16	Front Setting	
D17	Mid Setting	
D18	Rear Setting	Front Setting
D19	Rear Setting	Front Setting
D20		Mid Setting
D21		Rear Setting
D22		Rear Setting

The factory setting may need to be adjusted if a seating system is added. The factory setting does not account for conditions outside of the seat depth and seat depth range which may cause more weight to be distributed to the front or back of the chair.



When adjusting the COG there are 4 bolts to change (2 on each side).

The **Rear** setting has the rocker tube telescoped entirely into the seat frame support tube where the adjustment bolt is in the bottom hole. Along the base frame the bolt is in the top hole. (e.g. accommodates a seat depth that is in the highest end of the seat depth range)

For the **Mid** setting the adjustment bolt is simply in the middle hole along the rocker tube which telescopes out and the middle hole along the base frame. (e.g. optimal for a seat depth in the middle of the seat depth range)

The **Front** setting has the bolt in the top hole of the rocker tube which is fully telescoped out of the seat frame support tube and in the bottom hole along the base frame. (e.g. accommodates a seat depth in the lowest end of the seat depth range)



### Invacare Corporation

USA  
One Invacare Way  
Elyria, OH USA  
44035-4190  
800-333-6900

### www.invacare.com

All rights reserved. Trademarks are identified by the symbols™ and®.  
All trademarks are owned by or licensed to Invacare Corporation unless otherwise noted.

Bodypoint is a registered trademark of Bodypoint, Inc.  
Ankle Huggers is a registered trademark of Bodypoint, Inc.  
Stayflex is a trademark of Bodypoint, Inc.

Specifications and prices are subject to change without notification.  
©2009 Invacare Corporation